KENWOOD







4... Navigation

8... Digital Multimedia Receivers

9... DVD Monitor Receivers



DASHBOARD CAMERA ----- 11

11...Dashboard Camera




RECEIVERS ----- 12

12...DAB/iPod/USB

14...2DIN Receivers

16...Digital Media Receivers



integrates your smartphone with in-car entertainment system for seamlessly access to popular apps. With the high-contrast clarity of our High Definition Display featuring a new capacitive touch panel, you are not only connected to the power of your smartphone, but also in safer and effortless control. With High-Resolution Audio, your tunes are richer and more immersive. And all this performance can be installed in more cars than ever before thanks to innovative "Short Chassis" engineering. Bringing you in-car entertainment systems that go beyond connectivity, KENWOOD is outperforming your expectations.



MARINE ---- 17 17... Marine Systems



AMPLIFIERS--18 18...Amplifier Systems





SPEAKERS---- 19

19...Subwoofers 20...X-Series

20...PS-Series

21...E-Series 21...S-Series

23 ACCESSORIES




MORE WAYS TO CONNECT


APPLE CARPLAY™



Apple CarPlay is a safer way to use your iPhone in the car. Simply talk to Siri or touch the receiver's display to get directions from Apple Maps, make phone calls, listen to voicemail, send and receive texts, and listen to music, all in a way that allows you to stay focused on the road. With the latest iOS version (iOS 12.0 and higher), 3rd party navigation apps like Google MapsTM and WazeTM are also supported. New KENWOOD Wi-Fi receivers now support Apple CarPlay wirelessly (compatible phone required). *Selected models only









ANDROID AUTO™

androidauto

Android Auto was designed with safety in mind, helping you to minimize distractions and stay focused on the road. KENWOOD's multimedia receivers combine an intuitive voice controlled interface with a large touch screen and superior sound quality, making it the perfect complement for your in-car life. With the latest ANDROID OS version (PIE and higher), Google Maps™ and Waze™ are also supported. (compatible phone required).
*Selected models only










ew Navigation

Music



This LCD display delivers vivid colours with high-contrast and sharpness. Featuring an all-new electrostatic capacitive touch panel and HD LCD panel with high

luminance white LED backlight and wide viewing angle.



DNX9190DABS

android auto Works with Apple CarPlay































5V





























DNX7190DABS

android auto



7.0" WVGA Navigation DVD Receiver with Built-in DAB Tuner























































GARMIN 3D TERRAIN VIEW



With the Garmin 3D Terrain View, life-like map contours will be displayed at low zoom levels, giving you a realistic perspective of the terrain in available areas. Previously, users were limited to simply displaying the elevation and

grade levels as text on a flat map. Now, true perspectives can be achieved in a 3D format! The mapping view will reflect the curves in real time.

* DNX9190DABS only

HIGH-RESOLUTION AUDIO



High-Resolution Audio is high-quality sound that exceeds CD standard. High-resolution audio captures and beautifully expresses all the details of your favorite music. Through ultra-high and low frequencies, immerse yourself in a rich and high-quality sonic experience.



DNX5190DABS

android auto Works with Apple CarPlay

6.8" WVGA Navigation DVD Receiver with Built-in DAB Tuner



























TIME

HDMI^{*}







Works with Apple CarPlay

ASSIST



























6.2" WVGA Navigation Multimedia Receiver with Built-in DAB Tuner



PARKING GuideLines













13Band

EQ



PARKING GuideLines









DNR3190BTS

6.2" WVGA Navigation Multimedia Receiver with Built-in Bluetooth



ASSIST

Works with Apple CarPlay





iPhone | iPod
 iPod



Spotify



□×5



RAPID CHARGE



TIME



13Band

EQ

Customizable Multi Widget Screen



 $You \, can \, customize \, your \, home \, screen \, by \, selecting \, four \, widgets.$ Depending on the model, widget options can include album art of current song, clock, compass, photo frame, visualizer, weather, turn-by-turn, Garmin navigation and more.






DNX518VDABS























































DNX451RVS































ASSIST



Morks with Apple CarPlay





















GUIDANCE BY GARMIN



Equipped with the industry leading Garmin GARMIN, navigation software, offering a variety of display options to make your driving easy such

as Photo Real Junction View and Lane Assist.

INRIX TRAFFIC



Includes 2 years free access to INRIX data services, offering real time traffic information as well as parking, fuel services, weather and much more.


3 CAMERA INPUTS



To enable a smarter driving experience, receivers featuring 3 camera inputs allow for the utmost in convenience, flexibility, and safety. With 3 camera inputs, you can connect a front camera, a KENWOOD dashboard camera (DRV-N520 sold separately), and a rear camera . Alternatively, 3 camera inputs support several other configurations, including

the connection of 2 blind spot cameras and a reverse camera. Camera switching is available using on screen controls and manual switchers.








DMX8019DABS

android Works with Apple CarPlay



















































DMX7018DABS/BTS*

android (auto





























* DAB+ capability only for DMX7018DABS.

WIRELESS MIRRORING FOR ANDROID*



Wireless Mirroring for Android Solution for seamlessly displaying and controlling your smartphone apps on a screen without cables on select Android devices.







DMX125DAB

6.8" WVGA Digital Multimedia Receiver with Built-in DAB Tuner





















DMX120BT

6.8" WVGA Digital Multimedia Receiver with Built-in Bluetooth















SHORT CHASSIS



With Multimedia and Audio receivers reduced depth of the chassis, installation is made easier in a wider range of cars than ever before.

ANDROID USB MIRRORING READY



Connect your Android smartphone via USB to mirror its display on your receiver. Operate your Android applications with the receiver touch panel.





DDX8016DABS



3 PRE-OUTS

6.2" WVGA DVD Receiver with Built-in DAB Tuner



























DDX4019DAB / BT*

6.2" WVGA DVD Receiver with Built-in DAB Tuner































PARKING ASSISTANCE



Parking Guide Lines

Parking guide lines appear on any standard backup camera image, making parking safer and easier.



SOUND QUALITY



Digital Time Alignment

Sound coming from a variety of speakers located within your car are time aligned to arrive at your ear at exactly the same time.



13Band EQ

13 Band EQ

13-Bands of equalization offer detailed audio tuning to match your taste and listening environment.











DRV-830 Dashboard Camera







DRV-N520

Navigation Linkage Dashboard Camera





DRV-410





Dashboard Camera









CMOS-320

Multi-View Camera



CMOS-230

Rear View Camera

2-WAY NAVIGATION LINK



By linking your head unit with DRV-N520 dashboard camera, KENWOOD provides you a wealth of additional features.



Touch Control

Recorded can be displayed on the large screen, and operated from the touch panel.



Recording & Photo Shooting Playback Control





Combination Display (P in P) Dashcam Setup

GPS Function

By linking with the head unit, more accurate location information is sent from the head unit and stored on the dashboard camera.



Safety Alert

DRV-N520 is equipped with the safety alert function. Dangerous situations such as lane departure or forward collision are detected and a beep sound and caution pop-up is displayed on the head unit.







Lane Departure

Forward Collision

DASHBOARD CAMERA

3 Megapixel Recording

3 Megapixel Recording provides higher resolution than Full HD (1920 x1080). 3 Megapixel High Definition recording captures clear video even while driving.

* When HDR function is on, video is recorded at 2MP.





Built-in G-Sensor

When the G-Sensor detects any sudden motion, DRV-N520, DRV-830 and DRV-410 will automatically save and lock the recording to protect it from

being deleted. The integrated 3-axis sensor records G-force which shows the direction and the strength of possible impact.



HDR for Backlighting

Thanks to HDR (High Dynamic Range) technology, DRV-N520, DRV-830 and DRV-410 can record video at dark and bright locations, without underexposing or overexposing the image.








Safety

Safety and warning features can be activated to avoid frontal collisions, e.g. when an unintentional lane departure happens you will get an alert warning.





SMARTPHONE CONNECTIVITY



Android Rapid Charge

Rapidly charge your compatible Android smartphone with the USB port, up to a maximum of 1.5A.



5 Phones Music Mix

Up to 5 Bluetooth® devices can be connected to the head unit at the same time and you can enjoy audio streaming just by switching the devices with your friends or family.



Wireless Music Browsing (AVRCP 1.5)

Search and select songs from your music collection using a Bluetooth® connection.

HFP 1.6 for Bluetooth Hands-free

Thanks to HFP 1.6 support for Bluetooth models, clear & real sounding voice by "Wideband Speech" is available through hands-free conversation via Bluetooth.

* Availability of HFP 1.6 (Wideband Speech) depends on the phone and service provider.



DAB Tuner / Bluetooth / iPod / USB / CD Receiver

































KDC-BT730DAB

DAB Tuner / Bluetooth / iPod / USB / CD Receiver





























KDC-DAB400U

DAB Tuner / iPod / USB / CD Receiver













Dual Phone Connection

Allows two phones to be connected for hands-free operation at any time. Easily switch between both phones with the touch of a button.



Remote App

The Remote app can control most basic functions of the receiver, as well as finer sound tuning settings, over the Bluetooth connection of the paired phone (iPhone or Android).







(*)



KDC-X5200BT

Bluetooth / iPod / USB / CD Receiver

WIRELESS MUSIC







CD Door





BT / / USB / RIVER I

□×5



KDC-BT530U

Bluetooth / iPod / USB / CD Receiver























DPX-5100BT

Double-DIN Bluetooth / iPod / USB / CD Receiver

















Bluetooth / USB / CD Receiver







Double-DIN DAB Tuner / Bluetooth / iPod / USB / CD Receiver

























DPX-M3100BT

Double-DIN Bluetooth / iPod / USB Receiver
























COSMETIC FEATURES

Variable Colour illumination

A wide palette of colours is available using Variable Colour Illumination, customize your receiver to your taste. This function also makes it easier to match the receiver to a vehicle's interior lighting colour.



3 Line Wide LCD Display

Check out the stunning wide LCD displays on KENWOOD's 2DIN receivers. Three lines much per screen helps you to make music control easier and faster, and vertical alignment LCD Display secures higher visibility during day-time drive.





KDC-320UI

iPod / USB / CD Receiver











iPOD / USB

RECEIVERS





KDC-220UI

iPod / USB / CD Receiver







KDC-130UR

KDC-130UB/UG/UR

USB / CD Receiver



KDC-130UB



KDC-130UG





KDC-172Y*

USB / CD Receiver









KDC-153R*

USB / CD Receiver







* For distributor markets only.

SOUND QUALITY



Digital Time Alignment

Sound coming from a variety of speakers located within your car are time aligned to arrive at your ear at exactly the same time. Available to control from receiver or through smartphone application.



13 Band EQ

EQ

13-Bands of equalization offer detailed audio tuning to match your taste and listening environment. Available to control from receiver or through smartphone application.





KMM-BT505DAB

DAB Tuner / Bluetooth / iPod / USB Receiver

































KMM-BT305

Bluetooth / iPod / USB Receiver













3 PRE-OUTS

4V











Bluetooth / iPod / USB Receiver























DAB Tuner / iPod / USB Receiver











SHORT CHASSIS



With Multimedia and Audio receivers reduced depth of the chassis, installation is made easier in a wider range of cars than ever before.





KMM-205

iPod / USB Receiver











KMM-125*

USB Receiver







KMM-105AY/GY/RY*









KMM-105AY

* For distributor markets only.

MARINE



KMR-M505DAB

DAB Tuner / Bluetooth / iPod/ USB Receiver













PEAK POWER 150W



SHORT



Color



Coating



KFC-1653MRW

160mm Water Resistant 2-Way Speaker

CONFORMAL COATING



Improved moisture resistance of the circuit boards to prevent corrosion.





XH901-5

RMS 60W x 4 + 400W 4Ω POWER 75W x 4 + 600W 2Ω

XH401-4

Class D 5-Channel Power Amplifier

With Wired Level Control

Class D 4-Channel Power Amplifier With Wired Level Control



X802-5

X302-4



X502-1

Class D 5-Channel Power Amplifier Optional Wired Level Control Ready



KAC-PS704EX

Class D 4-Channel Power Amplifier



KAC-PS404

4/3/2 Channel Power Amplifier

Class D Mono Channel Power Amplifier Optional Wired Level Control Ready



KAC-PS702EX

Stereo / Bridgeable Power Amplifier



4/3/2 Channel Power Amplifier

Optional Wired Level Control For X502-1 / X802-5

KAC-M1814

Compact 4-Channel Digital Amplifier





| Model | MAX Power | Speaker Level Input | Signal Sensing Turn-on | High-pass Filter | Low-pass Filter | Infrasonic Filter | CLASS D | BASS BOOST | RMS POWER Output 4Ω | RMS POWER Output 2Ω | RMS POWER Output Bridged | Dimensions (WxHxD) |
|-------------|--------------|---------------------------|------------------------------|---------------------|--------------------|-------------------|------------|---------------|---------------------|------------------------|--------------------------------|----------------------|
| XH901-5 | 1800W | • | • | (Variable) | (Variable) | - | 5ch | • | 60W x 4 + 400W | 75W x 4 + 600W | - | 260mm × 51mm × 169mm |
| XH401-4 | 1000W | • | • | (Variable) | (Variable) | - | 4ch | - | 75W x 4 | 100W x 4 | 200W x 2 | 220mm × 35mm × 169mn |
| X502-1 | 1000W | • | • | - | (Variable) | 25Hz, - 24dB/oct | Mono | • | 300W x 1 | 500W x 1 | - | 213mm x 53mm x 149mm |
| X302-4 | 600W | • | • | (Variable) | (Variable) | - | 4ch | • | 50W x 4 | 75W x 4 | 150W x 2 | 213mm x 53mm x 149mm |
| X802-5 | 1600W | • | • | (Variable) | (Variable) | - | 5ch | • | 50W x 4 + 300W | 75W x 4 + 500W | 150W x 2 + 300W | 248mm x 53mm x 169mm |
| KAC-PS704EX | 1000W | • | • | (Variable) | (Variable) | - | - | - | 70W x 4 | 100W x 4 | 200W x 2 | 335mm x 56mm x 204mm |
| KAC-PS404 | 550W | • | • | (Variable) | (Variable) | - | - | - | 40W x 4 | 60W x 4 | 130W x 2 | 335mm x 56mm x 204mm |
| KAC-PS702EX | 500W | • | • | - | • | - | - | - | 70W x 2 | 85W x 2 | 170W x 1 | 230mm x 56mm x 167mm |
| KAC-M1814 | 400W | • | • | (Variable) | (Variable) | - | 4ch | - | 45W x 4 | 45W x 4 | 90W x 2 | 145mm × 45mm × 99mm |



KSC-PSW8

200mm Compact Powered Subwoofer

MAX POWER 250W RMS POWER 150W

PA-W801B

200mm Powered Subwoofer

With Wired Level Control

KFC-WPS1200F

With Wired Remote Control

PEAK POWER 1400W RMS POWER 350W

KFC-PS3016W

PEAK POWER 2000W RMS POWER 400W

300mm Flat Subwoofer

300mm Subwoofer

PEAK POWER 1300W

KFC-WPS1000F

PEAK POWER 1000W RMS POWER 250W

KFC-PS2516W 250mm Subwoofer

250mm Flat Subwoofer



KFC-W112S

RMS POWER



300mm Subwoofer



KSC-W1200B 300mm Box Subwoofer

PEAK POWER 1200W RMS POWER 300W



KSC-W1200T

300mm Tube Subwoofer

KSC-SW11

MAX POWER 150W

200mm Compact Powered Subwoofer With Wired Remote Control

| Model | PEAK Power | RMS Power | Cone | Impedance | Frequency Response | Mounting Depth |
|--------------|------------|-----------|-----------------------------------|-----------|--------------------|----------------|
| KFC-WPS1200F | 1400W | 350W | Carbon Glass Fibre Honeycomb Cone | 4Ω | 30Hz - 700Hz | 100mm |
| KFC-WPS1000F | 1000W | 250W | Carbon Glass Fibre Honeycomb Cone | 4Ω | 35Hz - 800Hz | 85mm |
| KFC-PS3016W | 2000W | 400W | PP Cone with Square Array Pattern | 4Ω | 27Hz - 300Hz | 131.6mm |
| KFC-PS2516W | 1300W | 300W | PP Cone with Square Array Pattern | 4Ω | 32Hz - 300Hz | 116.3mm |
| KFC-W112S | 800W | 200W | | 4Ω | 28Hz - 800Hz | 138.6mm |

| Model | PEAK Power | RMS Power | Cone | Frequency Cut-off Response Frequency | | Wired Remote | Signal Sensing Turn-on | Dimensions (W×H×D) |
|----------|------------|-----------|-----------------------|---|--------------|--------------|---------------------------|-----------------------|
| KSC-PSW8 | 250W | 150W | Aluminium Diaphragm | 35Hz - 150Hz | 35Hz - 150Hz | • | • | 350mm x 75mm x 240mm |
| KSC-SW11 | 150W | 75W | Ribbed Aluminium Cone | 50Hz - 125Hz | 50Hz - 125Hz | • | • | 280mm x 70mm x 190mm |
| PA-W801B | 400W | 200W | PP Cone | 32Hz - 250Hz | 50Hz - 200Hz | • | • | 450mm x 300mm x 150mm |

| Model | PEAK Power | RMS Power | Cone | Impedance | Frequency Response | Dimensions (W×H×D) |
|------------|------------|-----------|-------------------|-----------|-----------------------|-----------------------|
| KSC-W1200B | 1200W | 300W | Injection PP Cone | 4Ω | 38Hz - 300Hz | 486mm x 342mm x 272mm |
| KSC-W1200T | 1200W | 200W | Injection PP Cone | 4Ω | 40Hz - 800Hz | 342mm x 342mm x 502mm |

SUBWOOFER RECOMMENDED SYSTEM CHART

| | RMS | XH401-4 | XH901-5 | X502-1 | X302-4 | X802-5 | KAC-PS704EX | KAC-PS404 | KAC-PS702EX |
|------------------------|------|-----------|---------|---------|-----------|---------|-------------|-----------|-------------|
| RMS Power at 4Ω | | 200W(BTL) | 400W | 300W | 150W(BTL) | 300W | 200W(BTL) | 130W(BTL) | 170W(BTL) |
| RMS Power at 2Ω | | | 600W | 500W | | 500W | | | |
| KFC-WPS1200F | 350W | BETTER | BEST* | BEST | | BEST | | | |
| KFC-WPS1000F | 200W | BEST | | BETTER* | BETTER | BETTER* | | | |
| KFC-PS3016W | 400W | | | BEST | | BEST | BETTER | | |
| KFC-PS2516W | 300W | | | BEST | | BEST | BETTER | | |
| KFC-W112S | 200W | | | | | | | | BEST |
| KSC-W1200B | 300W | | | | | | BEST | | BETTER |
| KSC-W1200T | 200W | | | | | | | BEST | BETTER |

^{*} Use of 2 of subwoofers are recommended

PEAK POWER 240W RMS POWER 80W

PS-SERIES







KFC-X694

PEAK POWER 300W


KFC-X174

KFC-X712

62x92 2-way Speaker

170mm 2-way Speaker

72x102 3-way Speaker





KFC-X134

130mm 2-way Speaker

Performance Standard series speakers with high power handling, better sound quality, ideal replacement/upgrade for factory speakers.



KFC-PS1796

KFC-PS6976

62x92 3-way Speaker



170mm 2-way Speaker



KFC-PS1396

130mm 2-way Speaker



KFC-PS6896C

6"x8" 2-way Speaker





KFC-PS1096

PEAK POWER 650W



KFC-PS5796C

5"x7" 2-way Speaker



100mm 2-way Speaker





KFC-PS704P

170mm Component Speaker

RMS POWER

KFC-PS6996 6"x9" 5-way Speaker



KFC-PS6986

PEAK POWER 600W

6"x9" 4-way Speaker

KFC-PS504P

PEAK POWER 240W

130mm Component Speaker

| Model | Size | PEAK Power | RMS Power | Frequency Response | Mounting Depth |
|------------|---------|---------------|--------------|-----------------------|-------------------|
| KFC-PS1796 | 170mm | 330W | 100W | 72Hz - 24kHz | 48mm |
| KFC-PS1396 | 130mm | 320W | 75W | 80Hz - 25kHz | 46mm |
| KFC-PS1096 | 100mm | 220W | 50W | 114Hz - 25kHz | 43.4mm |
| KFC-PS6996 | 6" x 9" | 650W | 150W | 58Hz - 22kHz | 80.5mm |
| KFC-PS6986 | 6" x 9" | 600W | 140W | 60Hz - 22kHz | 80.5mm |

| Model | Size | PEAK Power | RMS Power | Frequency Response | Mounting Depth |
|-------------|--------------------|---------------|--------------|-----------------------|-------------------|
| KFC-PS6976 | 6" x 9" | 550W | 130W | 63Hz - 22kHz | 80.5mm |
| KFC-PS6896C | 6" x 8" | 360W | 81W | 58Hz - 24kHz | 60mm |
| KFC-PS5796C | 5" x 7" | 320W | 80W | 64Hz - 24kHz | 52mm |
| KFC-PS704P | (W) 170mm (T) 25mm | 280W | 80W | 63Hz - 24kHz | 56mm |
| KFC-PS504P | (W) 130mm (T) 25mm | 240W | 45W | 63Hz - 24kHz | 60mm |

PEAK POWER 400W RMS POWER 45W

S-SERIES / E-SERIES





PEAK POWER 500W RMS POWER 80W

6[□]×9[□] 3-way Speaker



KFC-S1676EX*

PEAK POWER 330W RMS POWER 60W

160mm 2-way Speaker



KFC-S6966

62x92 3-way Speaker



KFC-S1766

170mm 2-way Speaker



KFC-S1756

170mm Dual Cone Speaker



KFC-S1366

130mm 2-way Speaker

PEAK POWER 260W RMS POWER 30W

KFC-S1356

130mm Dual Cone Speaker

KFC-E170P

170mm Component Speaker

KFC-S1066

PEAK POWER 220W RMS POWER 21W

KFC-S1056

PEAK POWER 220W RMS POWER 21W

PEAK POWER 260W RMS POWER 30W

KFC-E130P

PEAK POWER 250W RMS POWER 30W

PEAK POWER 300W RMS POWER 30W

100mm 2-way Speaker

100mm Dual Cone Speaker

130mm Component Speaker

| Model | Size | PEAK Power | RMS Power | Frequency Response | Mounting Depth |
|-----------|-------|---------------|--------------|-----------------------|-------------------|
| KFC-S1766 | 170mm | 300W | 30W | 35Hz - 22kHz | 44.2mm |
| KFC-S1756 | 170mm | 300W | 30W | 35Hz - 18kHz | 44mm |
| KFC-S1366 | 130mm | 260W | 30W | 45Hz - 22kHz | 43.7mm |
| KFC-S1356 | 130mm | 260W | 30W | 45Hz - 18kHz | 43.5mm |
| KFC-S1066 | 100mm | 220W | 21W | 50Hz - 22kHz | 43mm |
| KFC-S1056 | 100mm | 220W | 21W | 50Hz - 18kHz | 43mm |

| Model | Size | PEAK Power | RMS Power | Frequency Response | Mounting Depth |
|-------------|--------------------|---------------|--------------|-----------------------|-------------------|
| KFC-S6976EX | 6" x 9" | 500W | 80W | 44Hz - 18KHz | 79.3mm |
| KFC-S1676EX | 160mm | 330W | 60W | 80Hz - 22kHz | 46.7mm |
| KFC-S6966 | 6" x 9" | 400W | 45W | 35Hz - 20kHz | 76.8mm |
| KFC-E170P | (W) 170mm (T) 25mm | 300W | 30W | 30Hz - 22kHz | 44mm |
| KFC-E130P | (W) 130mm (T) 25mm | 250W | 30W | 40Hz - 22kHz | 43.5mm |

SPEAKER RECOMMENDED SYSTEM CHART

| | RMS | XH401-4 | XH901-5 | X302-4 | X802-5 | KAC-PS704EX | KAC-PS404 | KAC-PS702EX | KAC-M1814 |
|-----------------|------|---------|---------|--------|--------|-------------|-----------|-------------|-----------|
| RMS Power at 4Ω | | 75W | 60W | 50W | 50W | 70W | 40W | 70W | 45W |
| KFC-X174 | 80W | | BEST | BEST | BEST | | | | |
| KFC-X694 | 130W | BEST | | BETTER | BETTER | | | | |
| KFC-X712 | 80W | BEST | | | | | | | |
| KFC-PS704P | 80W | | | | | BEST | BETTER | BEST | |
| KFC-PS504P | 45W | | | | | | BEST | | BEST |
| KFC-PS5796C | 80W | | | | | BEST | BETTER | BEST | |
| KFC-PS6896C | 81W | | | | | BEST | BETTER | BEST | |
| KFC-PS1096 | 50W | | | | | | BEST | | BEST |
| KFC-PS1396 | 75W | | | | | BEST | BETTER | BEST | |
| KFC-PS1796 | 100W | | | | | BEST | BETTER | BEST | |
| KFC-PS6996 | 150W | | | | | BEST | BETTER | BEST | |
| KFC-PS6986 | 140W | | | | | BEST | BETTER | BEST | |
| KFC-PS6976 | 130W | | | | | BEST | BETTER | BEST | |
| KFC-S1676EX | 60W | | | | | | BEST | | BETTER |
| KFC-S6976EX | 80W | | | | | BEST | BETTER | BEST | |
| KFC-1653MRW | 50W | | | | | | | | BEST |

^{*} For distributor markets only

| Model | Panel | Display | Illumination Colour | DVD Playback | Navigation | Apple Car Play*1 | Android Auto*2 | номі | MHL | USB | iPod/ iPhone*3 | Bluetooth*4 | Bluetooth HFP Ver. | DAB | AV IN/OUT | Camera IN |
|-----------------|------------------------------------|-----------|---------------------------------|-----------------|------------|---------------------|-------------------|------|-----|-------------------------------|-------------------|------------------------------|-----------------------|--------------------|-------------------|--|
| IAVIGATION | | | | | | | | | | | | | | | | |
| DNX9190DABS | Auto slide panel with reverse-tilt | 6.8" HD | Variable Colour Illumination | • | | • | | • | - | USB x 2 (Detachable Cable) | • | (External Mic Included) | • (1.7) | (Antenna Optional) | 1AV In 1V Out | Rear-Cam x 1 Front-Cam x 1 AV In |
| DNX7190DABS | Auto slide panel | 7.0" WVGA | Variable Colour Illumination | • | • | • | • | • | | USB x 2 (Detachable Cable) | • | • (External Mic Included) | • (1.7) | (Antenna Optional) | 1AV In 1AV Out | Rear-Cam x 1 Front-Cam x 1 AV In |
| DNX5190DABS | Fixed | 6.2" WVGA | Variable Colour Illumination | • | • | • | • | • | - | USB x 2 (Detachable Cable) | • | (External Mic Included) | • (1.7) | (Antenna Optional) | 1AV In 1V Out | Rear-Cam x 1 Front-Cam x 1 AV In |
| DNR4190DABS | Fixed | 6.8" WVGA | Variable Colour Illumination | - | • | • | - | • | - | USB x 1 (Detachable Cable) | • | (External Mic Included) | • (1.7) | (Antenna Optional) | 1AV In 1V Out | Rear-Cam x 1 Front-Cam x 1 |
| DNR3190BTS | Fixed | 6.2" WVGA | Variable Colour Illumination | - | • | • | - | | - | USB x 1 | • | (External Mic Included) | • (1.7) | - | 1AV In 1V Out | Rear-Cam x 1 AV In |
| DNX518VDABS | Partial removable panel | 7.0" WVGA | Variable Colour Illumination | | • | • | • | • | - | USB x 2 (Detachable Cable) | • | (External Mic Included) | • (1.6) | (Antenna Optional) | 1AV In 1V Out | Rear-Cam x 1 Front-Cam x 1 |
| DNX451RVS | Fixed | 6.2" WVGA | Variable Colour Illumination | • | • | • | - | • | - | USB x 2 (Detachable Cable) | • | (External Mic Included) | • (1.6) | (Antenna Optional) | 1AV In 1V Out | Rear-Cam x 1 Front-Cam x 1 |
| MONITOR RECEIVE | RS | | | | | | | | | | | | | | | |
| DMX8019DABS | Fixed | 7.0" WVGA | Variable Colour Illumination | - | - | | | | - | USB x 2 (Detachable Cable) | • | (External Mic Included) | • (1.7) | (Antenna Optional) | 1AV In 1V Out | Rear-Cam x 1 Front-Cam x 1 AV In |
| DMX7018DABS | Fixed | 6.8" WVGA | White | - | - | | | - | - | USB x 1 | | (External Mic Included) | • (1.6) | | 1AV In 1V Out | Rear-Cam x 1 |
| DMX7018BTS | Fixed | 6.8" WVGA | White | - | - | • | • | - | - | USB x 1 | • | (External Mic Included) | • (1.6) | - | 1AV In 1V Out | Rear-Cam x 1 |
| DMX125DAB | Fixed | 6.8" WVGA | Blue | - | - | - | - | - | - | USB x 1 | • | (External Mic Included) | • (1.6) | (Antenna Optional) | 1AV In 1V Out | Rear-Cam x 1 |
| DMX120BT | Fixed | 6.8" WVGA | Blue | - | - | - | - | - | - | USB x 1 | • | (External Mic Included) | • (1.6) | - | 1AV In 1V Out | Rear-Cam x 1 |
| DDX8016DABS | Fixed | 6.2" WVGA | Variable Colour Illumination | • | - | • | - | - | - | USB x 1 (Detachable Cable) | | (External Mic Included) | • (1.6) | (Antenna Optional) | 2AV In 1AV Out | Rear-Cam x 1 Front-Cam x 1 |
| DDX4019DAB | Fixed | 6.2" WVGA | Variable Colour Illumination | • | - | - | - | - | - | USB x 1 | • | (External Mic Included) | • (1.6) | (Antenna Optional) | 1AV In 1V Out | Rear-Cam x 1 |
| DDX4019BT | Fixed | 6.2" WVGA | Variable Colour Illumination | | | - | - | | | USB x 1 | | (External Mic Included) | • (1.6) | - | 1AV In 1V Out | Rear-Cam x 1 |

| Model | Panel | Display | Illumination Colour | CD Playback | USB | iPod / iPhone*3 | Bluetooth*4 | Bluetooth HFP1.6 | DAB | |
|-------------------------|------------|---------|------------------------------|-------------|--------------|-----------------|-------------------------|------------------|--------------------|--|
| BLUETOOTH | | | | | | | | | | |
| KDC-X7200DAB | Detachable | 2 line | Variable Colour Illumination | • | Rear USB x 2 | • | (External Mic Included) | | (Antenna Included) | |
| KDC-BT730DAB | Detachable | 2 line | Variable Colour Illumination | | Front USB | • | (External Mic Included) | | (Antenna Included) | |
| KDC-X5200BT | Detachable | 2 line | Variable Colour Illumination | | Rear USB | • | (External Mic Included) | | - | |
| KDC-BT530U | Detachable | 2 line | Variable Colour Illumination | • | Front USB | | (External Mic Included) | | - | |
| KDC-BT430U | Detachable | 1 line | Red | • | Front USB | - | (External Mic Included) | • | - | |
| iPOD / USB | | | | | | | | | | |
| KDC-DAB400U | Detachable | 1 line | Red | | Front USB | • | - | - | (Antenna Included) | |
| KDC-320UI | Detachable | 2 line | Variable Colour Illumination | • | Front USB | • | - | - | - | |
| KDC-220UI | Detachable | 2 line | Variable Colour Illumination | • | Front USB | • | - | - | - | |
| KDC-172Y | Detachable | 2 line | Variable Colour Illumination | | Front USB | - | - | - | - | |
| KDC-153R | Detachable | 1 line | Red | | Front USB | - | - | - | - | |
| KDC-130UR/UB/UG | Detachable | 1 line | R:Red, B:Blue, G:Green | • | Front USB | - | - | - | - | |
| DIGITAL MEDIA RECEIVERS | | | | | | | | | | |
| KMM-BT505DAB | Detachable | 2 line | Variable Colour Illumination | - | Front USB | • | (External Mic Included) | | (Antenna Included) | |
| KMM-BT305 | Detachable | 2 line | Variable Colour Illumination | - | Front USB | • | (External Mic Included) | • | - | |
| KMM-BT205 | Detachable | 1 line | Red | - | Front USB | | (External Mic Included) | • | - | |
| KMM-DAB403 | Detachable | 1 line | Red | - | Front USB | • | - | - | • | |
| KMM-125 | Detachable | 2 line | Variable Colour Illumination | - | Front USB | - | - | - | - | |
| KMM-205 | Detachable | 1 line | Red | - | Front USB | • | - | - | - | |
| KMM-105RY/AY/GY | Detachable | 1 line | RY:Red, AY:Amber, GY:Green | - | Front USB | - | - | - | - | |
| 2DIN RECEIVERS | | | | | | | | | | |
| DPX-7100DAB | Fixed | 3 line | Variable Colour Illumination | | Front USB | • | (External Mic Included) | | (Antenna Included) | |
| DPX-5100BT | Fixed | 3 line | Variable Colour Illumination | • | Front USB | | (External Mic Included) | • | - | |
| DPX-M3100BT | Fixed | 3 line | Variable Colour Illumination | - | Front USB | | (External Mic Included) | | - | |
| MARINE | | | | | | | | | | |
| KMM-M505DAB | Detachable | 2 line | Variable Colour Illumination | - | Front USB | | (External Mic Included) | | - | |



Capacitive Touch Panel

Clear glass display with swipe functionality provides superior picture and touch panel control.



Clear Resistive Touch Panel

A clear screen designed to reduce glare that includes a resistive touch sensor for accurate control during operation.



Viewing Angle

High quality picture when viewing the screen from different angles.



Up to 5 Bluetooth® devices can be paired to the head unit at the same time, you can enjoy audio streaming just by switching the devices with your friends or family.



Dual Phone ConnectionWhile you are connected through Bluetooth, with a

touch of a button you can switch between two phones.



Remote App
A smartphone application can control most basic functions of the receiver over the Bluetooth connection of the paired phone (iPhone or Android).



Wireless Music Browsing (AVRCP 1.5)

Search and select songs from your music collection through a Bluetooth connection.



Wireless Mirroring for Android

Solution for seamlessly displaying and controlling your smartphone apps on a screen without cables on select Android devices.



Customizable Multi Widget

Customize your Home Screen by selecting four shortcut/information widgets. Widget options can include album art, clock, compass, photo frame, visualizer, weather, turn-by-turn, Garmin navigation, and more.



Photo Real Junction View

Garmin Photo Real Junction View shows what complex interchanges look like before you arrive.



Lane Assist guides you to the correct lane for an approaching turn or exit, making unfamiliar intersections and exits easy to navigate



Parking Guide Lines
Parking guide lines (requires installation of compatible backup camera) that enhance the effectiveness of a backup camera.



3 Years Free Map Update

KENWOOD offers 3 years free map updates enabling you to keep up to date. Download the latest maps online to an SD card and insert to your navigation system.



13 Band EQ

13-Bands of equalization offer detailed audio tuning to match your taste and listening environment.



Digital Time Alignment

Sound coming from a variety of speakers located within your car are time aligned to arrive at your ear at exactly the same time.



Android Rapid Charge

Rapidly charge your compatible Android smartphone with the USB port, up to a maximum of 1.5A.



Multiple USB ports provide additional inputs for music sources or smartphone battery charging.



3 Camera Inputs

Optional camera connection method for up to 3 cameras in various configurations.



CD Door / Cover

The CD slot cover prevents dust from entering the transport.



Short Chassis

With Multimedia and Audio receivers reduced depth of the chassis, installation is made easier in a wider range of cars than ever before.

| Dashboard | OEM Display | Steering | Remote | | | Crossover | Audio Playback ^{*5} Movie Playback ^{*5} | | | | | | | | | | | | |
|-------------|-------------|----------------|----------|-------------------|------------------------------|-----------|---|-----|-----|----------------|---------------------|-------------------|----------|-----------|-----|-------|------|-----|------|
| Camera Link | In/Out | Remote Control | Control | Amplifier | PREOUT | Network | MP3 | WMA | AAC | WAV | FLAC | DSD | MPEG 1/2 | MPEG 4 SP | WMV | H.264 | DivX | MKV | JPEG |
| | | | | | | | | | | | | | | | | | | | |
| | • | • | Optional | 50W x 4 MOSFET | 5V 3PREOUTS (Gold plated) | 3-way | | | | (24bit,192kHz) | (24bit,192kHz) | | | | | | - | | |
| | • | • | Optional | 50W x 4 MOSFET | 4V 3PREOUTS | 3-way | • | • | | (24bit,192kHz) | (24bit,192kHz) | - | | | | | - | • | |
| • | • | • | Optional | 50W x 4 MOSFET | 4V 3PREOUTS | 3-way | • | • | • | (24bit,192kHz) | • (24bit,192kHz) | - | | | • | • | - | • | |
| | - | • | Optional | 50W x 4 MOSFET | 4V 3PREOUTS | 3-way | | | | (24bit,192kHz) | (24bit,192kHz) | - | | | | | - | | |
| - | - | • | Optional | 50W x 4 MOSFET | 4V 3PREOUTS | 3-way | | • | • | (24bit,192kHz) | (24bit,192kHz) | - | | • | • | • | - | • | |
| • | • | • | Optional | 50W x 4 MOSFET | 4V 3PREOUTS | 3-way | • | • | • | (24bit,192kHz) | (24bit,192kHz) | (2.8MHz/11.28MHz) | • | | • | • | - | • | |
| • | • | • | Optional | 50W x 4 MOSFET | 4V 3PREOUTS | 3-way | • | • | • | (24bit,192kHz) | (24bit,192kHz) | (2.8MHz/11.28MHz) | • | • | • | • | - | • | • |
| | | | | | | | | | | | | | | | | | | | |
| | • | • | Optional | 50W x 4 MOSFET | 5V 3PREOUTS | 3-way | • | • | • | (24bit,192kHz) | (24bit,192kHz) | - | | | | | - | | |
| - | - | | Optional | 50W x 4 MOSFET | 4V 2PREOUTS +SW | HPF & LPF | | | | • | (24bit,96kHz) | - | | | | | - | | |
| - | - | • | Optional | 50W x 4 MOSFET | 4V 3PREOUTS | HPF & LPF | | • | • | • | • | - | | • | • | • | - | • | |
| - | - | • | Optional | 45W x 4 MOSFET | 2V 2PREOUTS +SW | HPF & LPF | • | • | • | (24bit,192kHz) | (24bit,192kHz) | - | | | - | • | - | | - |
| - | - | • | Optional | 50W x 4 MOSFET | 2V 2PREOUTS +SW | - | • | • | • | • | (24bit,192kHz) | - | • | • | • | • | - | • | • |
| - | • | • | Optional | 50W x 4 MOSFET | 4V 3PREOUTS | HPF & LPF | • | • | • | (24bit,192kHz) | (24bit,192kHz) | - | • | | • | • | - | • | • |
| - | - | • | Optional | 50W x 4 MOSFET | 4V 3PREOUTS | 3-way | • | • | • | • | (24bit,96kHz) | - | • | - | - | - | • | - | |
| - | - | • | Optional | 50W x 4 MOSFET | 4V 3PREOUTS | 3-way | | | • | • | (24bit,96kHz) | | | - | - | - | | - | |

| AUX IN | | | | | | | Audio Playback*5 | | | | | | |
|--------|-------------------------|----------------|----------------|---------------|-------------------|-----|------------------|-----|-----|------|--|--|--|
| AUX IN | Steering Remote Control | Remote Control | Amplifier | PREOUT | Crossover Network | MP3 | WMA | AAC | WAV | FLAC | | | |
| | | | | | | | | | | | | | |
| | | - | 50W x 4 MOSFET | 4V 3PREOUTS | 3-way | • | • | | • | • | | | |
| | • | - | 50W x 4 MOSFET | 2.5V 2PREOUTS | 3-way | | • | • | • | • | | | |
| | | - | 50W x 4 MOSFET | 4V 3PREOUTS | 3-way | • | • | • | • | • | | | |
| | | - | 50W x 4 MOSFET | 2.5V 2PREOUTS | 3-way | | • | | | | | | |
| | | - | 50W x 4 MOSFET | 2.5V 1PREOUT | 3-way | • | • | • | • | • | | | |
| | | | | | | | | | | | | | |
| | | - | 50W x 4 MOSFET | 2.5V 1PREOUT | LPF | | • | - | | | | | |
| | | - | 50W x 4 MOSFET | 4V 3PREOUTS | 3-way | • | • | • | • | | | | |
| | | - | 50W x 4 MOSFET | 2.5V 1PREOUT | LPF | • | • | - | | | | | |
| | | Included | 50W x 4 MOSFET | 2.5V 2PREOUTS | LPF | | • | - | | | | | |
| | | - | 50W x 4 MOSFET | 2.5V 2PREOUTS | LPF | | • | - | | | | | |
| | | - | 50W x 4 MOSFET | 2.5V 1PREOUT | LPF | • | • | - | | | | | |
| | | | | | | | | | | | | | |
| | | - | 50W x 4 MOSFET | 2.5V 2PREOUTS | 3-way | | • | | | | | | |
| | | - | 50W x 4 MOSFET | 4V 3PREOUTS | 3-way | | | • | | | | | |
| | | - | 50W x 4 MOSFET | 2.5V 1PREOUT | 3-way | | • | | | | | | |
| | | - | 50W x 4 MOSFET | 2.5V 1PREOUT | LPF | | | - | | | | | |
| | • | - | 50W x 4 MOSFET | 2.5V 2PREOUTS | LPF | • | • | - | • | | | | |
| | | - | 50W x 4 MOSFET | 2.5V 1PREOUT | LPF | | | - | | | | | |
| | | | 50W x 4 MOSFET | 2.5V 1PREOUT | LPF | | • | - | | | | | |
| | | | | | | | | | | | | | |
| | | - | 50W x 4 MOSFET | 4V 3PREOUTS | 3-way | | • | • | | | | | |
| | | - | 50W x 4 MOSFET | 2.5V 2PREOUTS | 3-way | | • | • | | | | | |
| | | - | 50W x 4 MOSFET | 2.5V 2PREOUTS | 3-way | | • | • | | | | | |
| | | | | | | | | | | | | | |
| | | - | 50W x 4 MOSFET | 2.5V 2PREOUTS | 3-way | | • | | | | | | |
| | | | | | | | | | | | | | |

- *1 The service of Apple CarPlay may not be available in certain countries. For details, see: http://www.apple.com/ios/feature-availability/#applecarplay-applecarplay
- *2 The service of Android Auto may not be available in certain countries. For details, see: http://www.android.com/auto/
- $\textbf{*3} \ \text{For the detailed compatibility by iPod/iPhone generation, please visit:} \\ \textbf{www2.jvckenwood.com/cs/ce/ipod}$
- *4 For the detailed compatibility by mobile phone, please visit: www2.jvckenwood.com/cs/ce/bt/index.php





KTC-500DAB

In-car Digital Radio Adapter, Bluetooth Music Streaming and Hands-free Calling





CAW-DCS1

Dashcam spacer



Remote Control











Wired Bluetooth @Hands Free@ Microphone

CX-DAB1



In-car Digital Radio Glass-mounted Antenna

Mini Headphone Jack to RCA AV Cable



KCA-IP103

iPod / iPhone Lightning Cable



CA-DR150



Remote Control for Multimedia Models



Dash Cam Hardwire Kit

"Made for iPod" and "Made for iPhone" mean that an electronic accessory has been designed to connect specifically to iPod or iPhone, respectively, and has been certified by the developer to meet Apple performance standards. Apple is not responsible for the operation of this device or its compliance with safety and regulatory standards.

Use of the Apple CarPlay logo means that a vehicle user interface meets Apple performance standards. Apple is not responsible for the operation of this vehicle or its compliance with safety and regulatory standards. Please note that the use of this product with iPhone, iPod, or iPad may affect wireless performance.

Apple, iPad, iPhone, iPod, and iPod touch are trademarks of Apple Inc., registered in the U.S. and other countries. Apple CarPlay is a trademark of Apple Inc. Carrlays is a trademark of Apple Inc. Lightning is a trademark of Apple Inc.

Google, Maps is a trademark of Google LLC.

Google, Android, Google Play, Android Auto and other related marks and logos are trademarks of Google LLC.

The Garmin logo is a trademark of Garmin Ltd. or its subsidiaries and is registered in one or more countries, ecoRoute™ is a trademark of Garmin Ltd. or its subsidiaries.

Waze and Waze logo are registered trademarks of Google LLC.

The WI-Fi CERTIFIED™ Logo is a certification mark of Wi-Fi Alliance®.

DixX®, DixX® Certified, and associated logos are trademarks of DixX, Inc. and are used under license.

The SD, SDHC and microSD logos are trademarks of the SD Card Association.

The Bluetooth® word mark and logos are owned by the Bluetooth SIG, inc.

The terms HDMI and HDMI High-Definition Allitimedial interface, and the HDMI Logo are trademarks or registered trademarks of HDMI Licensing LLC in the United States and other countries.

MHL, Mobile High-Definition Link and the MHL Logo are trademarks or registered trademarks of the MHL, LLC.

"Hi-Res Audio" logo is a registered trademark of Japan Audio Society.

SPOTIEY and the Spotify logo are among the registered trademarks of Spotify AB.

DSD™ is a trademark or registered trademark of Sony Corporation. All other brands, product names, logos, or trademarks are the property of their respective holders.*1 The service of Apple CarPlay may not be available in certain countries. For details, see: http://www.apple.com/ios/feature-availability/#applecarplay-applecarplay $\ensuremath{^{\star}2}$ The service of Android Auto may not be available in certain countries. For details, see: http://www.android.com/auto/ *3 For the detailed compatibility by iPod/iPhone generation, please visit: www2.jvckenwood.com/cs/ce/ipod *4 For the detailed compatibility by mobile phone, please visit: www2.jvckenwood.com/cs/ce/bt/index.php *5 For the detailed compatibility by media, please visit: www2.jvckenwood.com/cs/ce/audiofile JVCKENWOOD Corporation follows a policy of continuous advancement in technical development. For this reason information contained in this catalogue and specifications may be changed without notice. JVCKENWOOD Belgium N.V. JVCKENWOOD Europe B.V. Amsterdamseweq 37, 1422 AC Uithoorn Leuvensesteenweg 248 J, 1800 Vilvoorde

The Netherlands

www.kenwood.nl

E-mail: info@nl.jvckenwood.com

For Support and Technical Information please visit www.kenwood.com/cs/ce

Belgium

E-mail: info@be.jvckenwood.com

www.kenwood.be